Author Index

Abdul Nour, J., see Goubran-Botros, H. 597(1992)357
Abe, F., see Yasukawa, K. 597(1992)271
Abiko, Y., see Ohsawa, K. 597(1992)285
Adler, C. M., see Scouten, W. H. 597(1992)231
Aiba, S., see Kihira, Y. 597(1992)277
Altschuh, D., see Dubs, M.-C. 597(1992)391
Aoyagi, H., see Ono, S. 597(1992)293
Arai, T., see Ueno, M. 597(1992)197
Araki, M., see Yamasaki, N. 597(1992)207
Azad, A. R. M., see Nachman, M. 597(1992)155
Bailon, P., see Nachman, M. 597(1992)155
Beneš, M. J., see Turková, J. 597(1992)19
Berry, M. J. and Davies, J.
Use of antibody fragments in immunoaffinity chromatography. Comparison of FV fragments, VH fragments and paralog peptides 597(1992)239
Birkenmeir, G., see Goubran-Botros, H. 597(1992)357
Boschetti, E., see Santambien, P. 597(1992)315
Braquet, P., see Watanabe, M. 597(1992)309
Broquet, C., see Watanabe, M. 597(1992)309
Chaiken, I.
Interactions and uses of antisense peptides in affinity technology (Review) 597(1992)29
Chase, H. A. and Draeger, N. M.
Affinity purification of proteins using expanded beds 597(1992)129
Chase, H. A., see McCreath, G. E. 597(1992)189
Davies, J., see Berry, M. J. 597(1992)239
Demiroglou, A., see Jennissen, H. P. 597(1992)93
Draeger, N. M., see Chase, H. A. 597(1992)129
Dubs, M.-C., Altschuh, D. and Van Regenmortel, M. H. V.
Mapping of viral epitopes with conformationally specific monoclonal antibodies using biosensor technology 597(1992)391
Endo, J., see Tabata, M. 597(1992)435
Endo, T., see Kobata, A. 597(1992)111
Fägerstam, L. G., Frostell-Karlsson, Å., Karlsson, R., Persson, B. and Rönnberg, I.
Biospecific interaction analysis using surface plasmon resonance detection applied to kinetic, binding site and concentration analysis 597(1992)397
Fleminger, G., Neufeld, T., Star-Weinstock, M., Litvak, M. and Solomon, B.
Calcium-modulated conformational affinity chromatography. Application to the purification of calmodulin and S100 proteins 597(1992)263
Fleminger, G., see Solomon, B. 597(1992)257
Frostell-Karlsson, Å., see Fägerstam, L. G. 597(1992)397
Fujioka, T., Inoue, F., Sumita, S., Kuriyama, M., Hanawa, T. and Katagi, T.
Purification and reconstitution of μ-opioid receptors in liposome 597(1992)429
Girot, P., see Santambien, P. 597(1992)315
Goubran-Botros, H., Nanak, E., Abdul Nour, J., Birkenmeir, G. and Vijayalakshmi, M. A.
Immobilized metal ion affinity electrophoresis. A study with several model proteins containing histidine 597(1992)357
Hagiwara, H., Nagasawa, T., Lodhi, K. M., Kozuka, M., Ito, T. and Hirose, S.
Affinity chromatographic purification of bovine lung endothelin receptor using biotinylated endothelin and avidin–agarose 597(1992)331
Håkanson, H., see Nilsson, M. 597(1992)383
Hanawa, T., see Fujioka, T. 597(1992)429
Hase, M., see Nawata, M. 597(1992)415
Hayatsu, H.
Cellulose bearing covalently linked copper phthalocyanine trisulphonate as an adsorbent selective for polycyclic compounds and its use in studies of environmental mutagens and carcinogens (Review) 597(1992)37
Helusová, Š., see Turková, J. 597(1991)19
Hirabayashi, J. and Kasai, K.
Arginine-tail method, an affinity tag procedure utilizing anhydrotrypsin agarose 597(1992)181
Hirahara, K., see Ohsawa, K. 597(1992)285
Hirasawa, N., see Watanabe, M. 597(1992)309
Hirose, S., see Hagiwara, H. 597(1992)331
Honda, S., Taga, A., Suzuki, K., Suzuki, S. and Kakehi, K.
Determination of the association constant of monovalent mode protein–sugar interaction by capillary zone electrophoresis 597(1992)377
Hulak, I., see Santambien, P. 597(1992)315
Inoue, F., see Fujioka, T. 597(1992)429
Isosaki, K., Seno, N., Matsumoto, I., Koyama, T. and Moriguchi, S.
Immobilization of protein ligands with methyl vinyl ether–maleic anhydride copolymer 597(1992)123
Ito, T., see Hagiwara, H. 597(1992)331
Jackson, C. M., see Winzor, D. J. 597(1992)57
Jennissen, H. P. and Demiroglou, A.
Base-atom recognition in protein adsorption to alkyl agaroses 597(1992)93
Jordan, L. M. and Russo-Marie, F.
Purification and partial characterization of phospholipase A_2 isoforms from human placenta 597(1992)299
Kakehi, K., see Honda, S. 597(1992)377
Karlsson, R., see Fägerstam, L. G. 597(1992)397
Kasai, K.
Trypsin and affinity chromatography (Review) 597(1991)3
Kasai, K., see Hirabayashi, J. 597(1992)181
Kashiwagi, S., see Nakamura, K. 597(1992)351
Katagi, T., see Fujioka, T. 597(1992)429
Kato, T., see Ono, S. 597(1992)293
Khatter, N., see Ngo, T. T. 597(1992)101

Kihira, Y. and Aiba, S.
Artificial immunoglobulin G-binding protein mimetic to staphylococcal protein A. Its production and application to affinity purification of immunoglobulin G 597(1992)277
Kimura, M., see Ohsawa, K. 597(1992)285
Kimura, M., see Yamasaki, N. 597(1992)207
Kobata, A. and Endo, T.
Immobilized lectin columns: useful tools for the fractionation and structural analysis of oligosaccharides 597(1992)111
Koizumi, Y., see Yasukawa, K. 597(1992)271
Kojima, K., Ogawa, H. K., Seno, N. and Matsumoto, I.
Affinity purification and affinity characterization of carbohydrate-binding proteins in bovine kidney 597(1992)323
Kojima, K., see Ueno, M. 597(1992)197
Kominami, G., see Murai, Y. 597(1992)201
Konami, Y., Yamamoto, K. and Osawa, T.
Purification and characterization of carbohydrate-binding peptides from *Lotus tetragonolobus* and *Ulex europeus* seed lectins using affinity chromatography 597(1992)213
Konami, Y., see Yamamoto, K. 597(1992)221
Kondo, M., see Shimohigashi, Y. 597(1992)425
Konishi, M., see Murai, Y. 597(1992)201
Koyama, M., see Ohsawa, K. 597(1992)285
Koyama, T., see Isosaki, K. 597(1992)123
Kozuka, M., see Hagiwara, H. 597(1992)331
Kuriyama, M., see Fujioka, T. 597(1992)429
Kurosawa-Ohsawa, K., see Ohsawa, K. 597(1992)285
Lee, S., see Ono, S. 597(1992)293
Leibman, E., see Solomon, B. 597(1992)257
Levine, L., see Watanabe, M. 597(1992)309
Litvak, M., see Fleminger, G. 597(1992)263
Lodhi, K. M., see Hagiwara, H. 597(1992)331
Lowe, C. R., see McCreath, G. E. 597(1992)189
Mallee, L., see Scouten, W. H. 597(1992)231
Mallia, A. K., see Nevens, J. R. 597(1992)247
Matsuishi, T., see Ohsawa, K. 597(1992)285
Matsumoto, H., see Shimohigashi, Y. 597(1992)425
Matsumoto, I., see Isosaki, K. 597(1992)123
Matsumoto, I., see Kojima, K. 597(1992)323
Matsumoto, I., see Ueno, M. 597(1992)197
Matsushita, Y., see Watanabe, M. 597(1992)309
Mattiasson, B., see Nilsson, M. 597(1992)383
McCreath, G. E., Chase, H. A., Purvis, D. R. and Lowe, C. R.
Novel affinity separations based on perfluorocarbon emulsions. Use of a perfluorocarbon affinity emulsion for the purification of human serum albumin from blood plasma in a fluidised bed 597(1992)189
Mimura, Y., Nakamura, K. and Takeo, K.
Analysis of the interaction between an α(1→6)dextran-specific mouse hybridoma antibody and dextran B512 by affinity electrophoresis 597(1992)345
Minobe, S., see Nawata, M. 597(1992)415
Moriguchi, S., see Isosaki, K. 597(1992)123
Mue, S., see Watanabe, M. 597(1992)309
Munro, P. D., see Winzor, D. J. 597(1992)57
Murachi, T., see Tabata, M. 597(1992)435
Murai, Y., Ohno, M., Konishi, M. and Kominami, G.
Selective clean-up method using an immunoaffinity column following radioimmunoassay of prostaglandin $F_{2\alpha}$ in biological fluids 597(1992)201
Muramatsu, S., see Watanabe, M. 597(1992)309
Nachman, M.
Kinetic aspects of membrane-based immunoaffinity chromatography 597(1992)167
Nachman, M., Azad, A. R. M. and Bailon, P.
Membrane-based receptor affinity chromatography 597(1992)155
Nagai, K., see Sakihama, N. 597(1992)147
Nagasawa, T., see Hagiwara, H. 597(1992)331
Nagatomo, A., Sakai, K., Nose, T., Shimohigashi, Y. and Ohno, M.
Occurrence of an allosteric transition in the modification of papain with L-1-acetyl-2,3-dihydropyrrolo[2,3-*b*]-indole-2-carboxamide 597(1992)411
Nakamura, K., Kashiwagi, S. and Takeo, K.
Characterization of the interaction between human plasma fibronectin and collagen by means of affinity electrophoresis 597(1992)351
Nakamura, K., see Mimura, Y. 597(1992)345
Nakamura, K., see Takeo, K. 597(1992)365
Nakata, H.
Affinity chromatography in purification of A_1 adenosine receptors 597(1992)335
Nanak, E., see Goubran-Botros, H. 597(1992)357
Nawata, M., Minobe, S., Hase, M., Watanabe, T., Sato, T. and Tosa, T.
Specific assay for endotoxin using immobilized histidine, *Limulus* amoebocyte lysate and a chromogenic substrate 597(1992)415
Neufeld, T., see Fleminger, G. 597(1992)263
Nevens, J. R., Mallia, A. K., Wendt, M. W. and Smith, P. K.
Affinity chromatographic purification of immunoglobulin M antibodies utilizing immobilized mannan binding protein 597(1992)247
Ngo, T. T. and Khatter, N.
Avid AL, a synthetic ligand affinity gel mimicking immobilized bacterial antibody receptor for purification of immunoglobulin G 597(1992)101
Nilsson, M., Håkanson, H. and Mattiasson, B.
Process monitoring by flow-injection immunoassay. Evaluation of a sequential competitive binding assay 597(1992)383
Noguchi, K., see Yasukawa, K. 597(1992)271
Nose, T., see Nagatomo, A. 597(1992)411
Ogawa, H. K., see Kojima, K. 597(1992)323
Ogawa, H. K., see Ueno, M. 597(1992)197
Ohlson, S., see Wikström, M. 597(1992)83
Ohmori, H., see Sakihama, N. 597(1992)147
Ohno, M., see Murai, Y. 597(1992)201
Ohno, M., see Nagatomo, A. 597(1992)411
Ohno, M., see Ono, S. 597(1992)293
Ohno, M., see Shimohigashi, Y. 597(1992)425

Ohsawa, K., Kimura, M., Kurosawa-Ohsawa, K., Takahashi, M., Koyama, M., Abiko, Y., Hirahara, K., Matsuishi, T. and Tanaka, S.
Purification of sufficiently γ-carboxylated recombinant protein C and its derivatives. Calcium-dependent affinity shift in immunoaffinity and ion-exchange chromatography 597(1992)285
Ohuchi, K., see Watanabe, M. 597(1992)309
Ono, S., Kato, T., Lee, S., Aoyagi, H. and Ohno, M.
Interaction of amphipathic model lipopeptides with phospholipid bilayers 597(1992)293
Osawa, T., see Konami, Y. 597(1992)213
Osawa, T., see Yamamoto, K. 597(1992)221
Persson, B., see Fägerstam, L. G. 597(1992)397
Purvis, D. R., see McCreath, G. E. 597(1992)189
Raviv, O., see Solomon, B. 597(1992)257
Rechnitz, G. A., see Tanaka, S. 597(1992)443
Rongen, R., see Scouten, W. H. 597(1992)231
Rönnberg, I., see Fägerstam, L. G. 597(1992)397
Russo-Marie, F., see Jordan, L. M. 597(1992)299
Sakai, K., see Nagatomo, A. 597(1992)411
Sakamoto, H., see Shimohigashi, Y. 597(1992)425
Sakihama, N., Nagai, K., Ohmori, H., Tomizawa, H., Tsujita, M. and Shin, M.
Immobilized ferredoxins for affinity chromatography of ferredoxin-dependent enzymes 597(1992)147
Sano, Y., see Yamamoto, S. 597(1992)173
Santambien, P., Girot, P., Hulak, I. and Boschetti, E.
Immunoenzymatic assay of dyes currently used in affinity chromatography for protein purification 597(1992)315
Sato, T., see Nawata, M. 597(1992)415
Scouten, W. H., Adler, C. M., Rongen, R. and Mallee, L.
Evaluation of the mode of binding of immunoglobulin to activated agarose 597(1992)231
Seno, N., see Isosaki, K. 597(1992)123
Seno, N., see Kojima, K. 597(1992)323
Seno, N., see Ueno, M. 597(1992)197
Shida, N., see Yasukawa, K. 597(1992)271
Shima, K., see Yasukawa, K. 597(1992)271
Shimohigashi, Y., see Nagatomo, A. 597(1992)411
Shimohigashi, Y., Takada, K., Sakamoto, H., Matsumoto, H., Yasunaga, T., Kondo, M. and Ohno, M.
Discriminative affinity labelling of opioid receptors by enkephalin and morphiceptin analogues containing 3-nitro-2-pyridinesulphenyl-activated thiol residues 597(1992)425
Shin, M., see Sakihama, N. 597(1992)147
Smith, P. K., see Nevens, J. R. 597(1992)247
Solomon, B., see Fleminger, G. 597(1992)263
Solomon, B., Raviv, O., Leibman, E. and Fleminger, G.
Affinity purification of antibodies using immobilized FB domain of protein A 597(1992)257
Star-Weinstock, M., see Fleminger, G. 597(1992)263
Sumita, S., see Fujioka, T. 597(1992)429
Suzuki, K., see Honda, S. 597(1992)377
Suzuki, S., see Honda, S. 597(1992)377
Suzuno, R., see Takeo, K. 597(1992)365
Tabata, M., Murachi, T., Endo, J. and Totani, M.
Use of various types of column reactors for flow-injection analysis 597(1992)435
Taga, A., see Honda, S. 597(1992)377
Takada, K., see Shimohigashi, Y. 597(1992)425
Takahagi, H., see Watanabe, M. 597(1992)309
Takahashi, M., see Ohsawa, K. 597(1992)285
Takeo, K., see Mimura, Y. 597(1992)345
Takeo, K., Nakamura, K. and Suzuno, R.
Separation of monoclonal antibodies from antihapten antisera by two-dimensional affinity electrophoresis 597(1992)365
Takeo, K., see Nakamura, K. 597(1992)351
Takeuchi, T., see Tanaka, S. 597(1992)443
Tanaka, S., see Ohsawa, K. 597(1992)285
Tanaka, S., Takeuchi, T. and Rechnitz, G. A.
Non-isotopic receptor assay for benzodiazepines using a biotin-labeled ligand and biotin-immobilized microtiter plate 597(1992)443
Tichá, M., see Turková, J. 597(1992)19
Tomizawa, H., see Sakihama, N. 597(1992)147
Tosa, T., see Nawata, M. 597(1992)415
Totani, M., see Tabata, M. 597(1992)435
Tsujita, M., see Sakihama, N. 597(1992)147
Turková, J., Vohník, S., Helusová, Š., Beneš, M. J. and Tichá, M.
Galactosylation as a tool for the stabilization and immobilization of proteins (Review) 597(1992)19
Uchida, T., see Yasukawa, K. 597(1992)271
Ueno, M., Arai, T., Kojima, K., Ogawa, H. K., Matsumoto, I. and Seno, N.
Improved affinity chromatographic purification of D-mannose–N-acetyl-D-glucosamine-specific lectin from the bark of *Sophora japonica* eliminating the loss by sugar specific self-aggregation 597(1992)197
Van Regenmortel, M. H. V., see Dubs, M.-C. 597(1992)391
Vijayalakshmi, M. A., see Goubran-Botros, H. 597(1992)357
Vohník, S., see Turková, J. 597(1992)19
Watanabe, M., Watanabe, T., Hirasawa, N., Mue, S., Muramatsu, S., Matsushita, Y., Takahagi, H., Braquet, P., Broquet, C., Levine, L. and Ohuchi, K.
Preparation of immunoaffinity mini-columns for the analysis of platelet activating factor (PAF) in biological samples 597(1992)309
Watanabe, T., see Nawata, M. 597(1992)415
Watanabe, T., see Watanabe, M. 597(1992)309
Wendt, M. W., see Nevens, J. R. 597(1992)247
Wikström, M. and Ohlson, S.
Computer simulation of weak affinity chromatography 597(1992)83
Winzor, D. J.
Recent developments in quantitative affinity chromatography 597(1992)67
Winzor, D. J., Munro, P. D. and Jackson, C. M.
Study of high-affinity interactions by quantitative affinity chromatography. Analytical expressions in terms of total ligand concentration 597(1992)57
Yamaguchi, O., see Yamasaki, N. 597(1992)207
Yamamoto, K., Konami, Y. and Osawa, T.
Determination of the carbohydrate-binding site of *Bauhinia purpurea* lectin by affinity chromatography 597(1992)221
Yamamoto, K., see Konami, Y. 597(1992)213

Yamamoto, S. and Sano, Y.
Short-cut method for predicting the productivity of affinity chromatography 597(1992)173
Yamasaki, N., Kimura, M., Yamaguchi, O. and Araki, M.
Isolation and characterization of isolectins from *Erythrina variegata* seeds 597(1992)207
Yasukawa, K., Abe, F., Shida, N., Koizumi, Y., Uchida, T., Noguchi, K. and Shima, K.
High-performance affinity chromatography system for the rapid, efficient assay of glycated albumin 597(1992)271
Yasunaga, T., see Shimohigashi, Y. 597(1992)425